Windows	Enrty & Patio Doors	Screen/ Storm Doors	Patio
1. Replacement windows must be a slider type. 2. The window above the door of the Malibu must be replaced with a window of similar size and shape. 3. Exterior frame must be the appropriate color to resident's building. 4. All work must be approved by the Condo board.	clad door with a minimum fire rating of 60 minutes. 2. Doors may be 6 or 8 panels or 4 panels with a "fanlite"/ 1/2 moon glass at top of the door. 3. Door must be painted with the appropriate color scheme for building. 4. Replacement patio door must be slider type. 5. The exterior frame must be brown in color. 6. All work must be	•	1. Homeowner may install concrete pavers or cement in the one foot wide dirt area surrounding their patio. 2. To install a deck or new patio plans must be submitted showing the nature, kind, shape, height, materials and color to be used for approval. 3. All work must be approved by the Condo board.
	1. Replacement windows must be a slider type. 2. The window above the door of the Malibu must be replaced with a window of similar size and shape. 3. Exterior frame must be the appropriate color to resident's building. 4. All work must be approved by the Condo	1. Replacement windows must be a slider type. 2. The window above the door of the Malibu must be replaced with a window of similar size and shape. 3. Exterior frame must be the appropriate color to resident's building. 4. All work must be approved by the Condo board. 1. Entry door must be steel clad door with a minimum fire rating of 60 minutes. 2. Doors may be 6 or 8 panels or 4 panels with a "fanlite"/ 1/2 moon glass at top of the door. 3. Door must be painted with the appropriate color scheme for building. 4. Replacement patio door must be slider type. 5. The exterior frame must be brown in color.	1. Replacement windows must be a slider type. 2. The window above the door of the Malibu must be replaced with a window of similar size and shape. 3. Exterior frame must be the appropriate color to resident's building. 4. All work must be approved by the Condo board. 1. Entry door must be steel clad door with a minimum installation or replacement storm/ screen door must be either brown, almond or sandstone in color. 2. The style or design of strom/screen door will be at owners discretion and approved by the Condo board. 3. Door must be painted with the appropriate color scheme for building. 4. All work must be slider type. 5. The exterior frame must be brown in color. 6. All work must be

board.

Solar Tubes/ Skylights	Fences	Landscaping	Exterior lights
1. Homeowner must	1. Fences cannot be moved	1. Plantings or alterations	
submit plans and specs.	or removed.	to the landscaping in the	
2. Proof of contractors	2. Color of fences must be	common area may not	
liability and insurance.	the appropriate brown for	commence until plans	
3. Complete a Hold	condo VI.	showing the nature of	
Harmless Agreement.	3. All work must be	plant materials and	
4. Submit a completed	approved by the Condo	location of same and	
"Application for	board.	submitted to the Board for	
Installation of Skylights or		review and approval.	
Solar Tubes".		2. Pachysandra, ivy or	N/A
5. Limit of two(2) solar		similar ground covering	
tubes per unit.		plants are not allowed.	
6. All work must be			
approved by the Condo			

board.

Attic

N/A